Notice of Allowability	Application No.	Applicant(s)		
	09/980,066	DROTT, JOHAN		
	Examiner	Art Unit		
	Catherine N. Witczak	3767		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included nerewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.				
1. This communication is responsive to <u>8/14/2006</u> .				
2. X The allowed claim(s) is/are <u>14-32</u> .				
Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) ☐ All b) ☐ Some* c) ☒ None of the:  1. ☐ Certified copies of the priority documents have been received.				
2. Certified copies of the priority documents have been received in Application No				
3. Copies of the certified copies of the priority documents have been received in this national stage application from the				
International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:				
· · · · · · · · · · · · · · · · · · ·				
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.				
1. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.				
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.				
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached				
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date				
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date				
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).				
5. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
	•			
	•			
Attachment(s)	•			
I. ⊠ Notice of References Cited (PTO-892)	5.  Notice of Informal P		O-152)	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary Paper No./Mail Dat			
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date</li> </ol>	8), 7. Examiner's Amenda	7. Examiner's Amendment/Comment		
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Statement of Reasons for Allowance			
C. Biologica, material	9.  Other			
KEVIN C. SIRMONS SUPERVISORY PATENT EXAMINER				
1 com C. Journa		<u> </u>		

Art Unit: 3767

DETAILED ACTION

1. An examiner's amendment to the record appears below. Should the changes and/or additions be

unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure

consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

On page 1, line 3 of the specification, before FIELD OF THE INVENTION the following

paragraph has been inserted:

"This application is a continuation of International Application No. PCT/SE00/01132, filed on

May 30, 2000, which claims priority to Swedish Application No. 9901981-2, filed on May 31, 1999, the

contents of both of which are incorporated herein in their entirety by reference."

2. Claim 14-32 are allowed.

As to claims 14 and 28, the prior art does not disclose or render obvious at the time the invention was

made an apparatus for measuring the property of a liquid comprising a tube having a domed portion that

includes a sealing surface with is sealed by a sensor that is sealing disposed on the sealing surface

surround a lateral access opening, with which the sensor is in direct contact with so that it can sensing the

property of the liquid.

Any inquiry concerning this communication or earlier communications from the examiner should

be directed to Catherine N. Witczak whose telephone number is (571) 272-7179. The examiner can

normally be reached on Monday through Friday, 8-5 EST.

LAAL

Application/Control Number: 09/980,066

Art Unit: 3767

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kevin

Sirmons can be reached on (571) 272-4965. The fax phone number for the organization where this

application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application

Page 3

Information Retrieval (PAIR) system. Status information for published applications may be obtained

from either Private PAIR or Public PAIR. Status information for unpublished applications is available

through Private PAIR only. For more information about the PAIR system, see http://pair-

direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer

Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR

CANADA) or 571-272-1000.

cw

MMM 8/23/01

KEVIN C. SIRMONS SUPERVISORY PATENT EXAMINER

Rein C. Sermons